

RESISTOFLEX

AN
ISO 9001
COMPANY

SINCE 1947

Vibration-Shock-Noise
Control Systems



OUR COLLABORATORS



CONTITECH
GERMANY

CHRISTIE
& GREY

CHRISTIE & GREY
ENGLAND





sactitec
FRANCE

Level Mounts

 Style : FPU (7 sizes) Load : 115-9600 Kgs	 Style : RP (6 sizes) Load : 20-6000 Kgs	 Style : BM (5 sizes) Load : 25-5800 Kgs	 JACK MOUNT Load : 115-9600 Kgs	 WEDGE MOUNT Load : 50-16000 Kgs
---	---	---	---	---

Elastomeric Pads

 Style : SFP 30 Load : 0.13-0.47 Kgs/cm ²	 Style : ZR 25 Load : 1.0-1.7 Kgs/cm ²	 Style : PD 6 Load : 0.7-2.0 Kgs/cm ²	 Style : SC 8 Load : 3.5-7.0 Kgs/cm ²	 Style : SC 12 Load : 14-21 Kgs/cm ²
FABRIC PAD  Load : 10-100 Kgs/cm ²	CRANE PADS  Load : 10-100 Kgs/cm ²	COMPOSITE CORK PAD  Load : 1.5 Kgs/cm ²	FLOOR TILE  Load : 1-25 Kgs/cm ²	MINIATURE MOUNT  Load : 25 Kgs

Spring Mountings

 Style : PS Load : 30-800 Kgs	 Style : CS (4 sizes) Load : 20-910 Kgs	 Style : MS (2 sizes) Load : 2280-7280 Kgs	 Style : HS (3 sizes) Load : 30-2160 Kgs	 Style : RS (2 sizes) Load : 2280-7280 Kgs
---	---	--	---	--

Resilient Products for Railways

 Air Spring	 Air Suspension System	 Chevron Spring	 Roof Top A.C. Mounting	 Chiller Mount
 Silent Bloc	 Silent Bloc	 Elastic Connection for Control Arm	 Spherical Bush for Anchor link	 Silent Bloc Rubber Element
 Top Rubber Pad	 Bottom Rubber Pad	 Top/Bottom Rubber Pad	 Flockitised Rubber Pad	 Up per / Lower Rubber Washer
 Body Bogie Elastic Connection	 Draft Spring Pads	 Bogie Isolator Stop	 Lateral Rubber buffer	 Lateral Rubber Stop

Authorised Distributor



MTS Engineers Pvt. Ltd.

B-408, Wall Street - II, Opp. Orient Club, Nr. Gujarat College, Ellisbridge, Ahmedabad - 380 006, Gujarat (India), Tel. No. : 079 - 26400063, Telefax : 079 - 40047430, E-mail : info@mtsengr.com, Web : www.mtsengr.com

Rubber Bonded Mountings

 Style : FM/S Load : 800-1600 Kgs	 Style : FM/AB (5 sizes) Load : 80-1580 Kgs	 Style : NY (5 sizes) Load : 14-200 Kgs	 Style : CG Load : 40-58 Kgs	 Style : ML Load : 13-20 Kgs
 Style : CSC Load : 10-50 Kgs	 Style : PD (3 sizes) Load : 650-3200 Kgs	 Style : CMS (35 sizes) Load : 1.2-1280 Kgs	 Style : CMW (35 sizes) Load : 1-1010 Kgs	 Style : CMI (3 sizes) Load : 50-800 Kgs
 Style : CMF Load : 420-735 Kgs	 Style : BY (2 sizes) Load : 10-25 Kgs	 Style : SBA (6 sizes) Load : 310-4500 Kgs	 Style : DRM Load : 300-1100 Kgs	 Style : MD Load : 65-310 Kgs
 Style : BW Load : 320-680 Kgs	 Style : AKCC (11 sizes) Load : 10-400 Kgs	 Style : MAS (5 sizes) Load : 35-1950 Kgs	 Style : BC Load : 75-600 Kgs	 Style : SCD Load : 5-10 Kgs
 Style : EFD (2 sizes) Load : 3-60 Kgs	 Style : EFC Load : 20-220 Kgs	 Style : STB (4 sizes) Load : 30-1000 Kgs	 Style : PXM Load : 150-420 Kgs	 Style : MCR Load : 500-4000 Kgs
 Style : CT (4 sizes) Load : 9-817 Kgs	 Style : LMC (3 sizes) Load : 0.9-40 Kgs	 Style : FT Load : 100-320 Kgs	 Style : MCC Load : 70-190 Kgs	 Style : LCB Load : 225-445 Kgs

RUBBER METAL BUSHES



Style : SBB
O.D. : 50-200 mm

TORSION MOUNT



Style : CTM
Load : 150-350 Kgs

RUBBER FASTENER



Style : BCR (5 sizes)
Load : 5-28 Kgs

RUBBER AIR SPRING



Style : SLM (8 sizes)
Load : 50-10000 Kgs

BLOCK ISOLATOR



Style : TGG (2 sizes)
Load : 810-10000 Kgs

Rubber Bonded Buffers



Style : TG (6 sizes)
Load : 800-35000 Kgs



Style : APB
Load : 120-400 Kgs



Style : CPB (2 sizes)
Load : 150-250 Kgs



Style : TPB
Load : 8000 Kgs



Style : RPB (35 sizes)
Load : 1.2-5100 Kgs

Authorised Distributor











MTS Engineers Pvt. Ltd.

B-408, Wall Street - II, Opp. Orient Club, Nr. Gujarat College, Ellisbridge, Ahmedabad - 380 006, Gujarat (India). Tel. No. : 079 - 26400063, Telefax : 079 - 40047430, E-mail : info@mtsengrs.com, Web : www.mtsengrs.com



Rubber Expansion Joints











for high pressure piping, pumps, chillers, condensers

 CUSTOM BUILT	 MACHINE MOULDED	 SINGLE SPHERICAL	 DOUBLE SPHERICAL	 CONTROL UNITS
 SPOOL	 MULTIPLE ARCH	 THREADED	 STRAIGHT	 BELT

Bellows






 SLEEVE	 CIRCULAR	 RECTANGULAR	 SQUARE	 WRAP-ON
---	---	--	--	--

Hangers & Sleeves

 OPEN SPRING	 HOUSED SPRING	 RESTRAINED SPRING	 RUBBER & SPRING	 HOUSED RUBBER
 CLIP SLEEVE	 OPEN RUBBER	 PIPE SUPPORT	 WALL SLEEVE	 PIPE SLEEVE

Floor Supports & Wall Braces

Architectural isolation of noise & vibration in critical areas of building structures, studios.....

 JACK-UP RUBBER MOUNT	 JACK-UP SPRING MOUNT	 FLOOR PANEL	 WOOD FLOOR SUPPORT	 WALL SWAY BRACE
---	---	--	--	--

Structural Bearings

for uniformly transferring high vertical loads and simultaneously accommodating displacement in all other directions

 SLIDE	 LAMINATED	 BONDED	 PLAIN	 CIRCULAR
 CEMENT for Isolating Vibration	 COMPOUND for Damping Shock	 COATING for Attenuating Noise	 METERS for Measuring Vibrations	 SWITCH for Vibration Protection

Authorised Distributor

MTS Engineers Pvt. Ltd.

B-408, Wall Street - II, Opp. Orient Club, Nr. Gujarat College, Ellisbridge, Ahmedabad - 380 006, Gujarat (India), Tel. No. : 079 - 26400063, Telefax : 079 - 40047430, E-mail : info@mtsengrs.com, Web : www.mtsengrs.com

